

XCOA - eXtended Change of Address

Below is the output layout and data definitions for XCOA - eXtended Change of Address. These fields are typically appended to the right of your original data. On request, we can alternatively update your existing fields.

FIELD: name of the field. TYPE: field type; Chr = character or alphanumeric, Num = numeric. WIDTH: field width. DEC: number of decimal points. FROM: field starting point. TO: field ending point. Description: data definition of the field contents.

Field	Type	Width	Dec	Start	End	Description
PEACOCK_ID	Chr	10		1	10	Unique ID number assigned to each record - used for support
UPD_ADDR1	Chr	50		11	60	Updated primary address
UPD_ADDR2	Chr	50		61	110	Updated secondary address or Puerto Rican urbanization
UPD_ADDR3	Chr	50		111	160	Updated address #3
UPD_ADDR4	Chr	50		161	210	Updated address #4
UPD_ADDR5	Chr	50		211	260	Updated address #5
UPD_CITY	Chr	30		261	290	Updated city
UPD_STATE	Chr	2		291	292	Updated state abbreviation
UPD_ZIP	Chr	10		293	302	Updated ZIP Code and ZIP+4 Code
UPD_ZIP5	Chr	5		303	307	Updated 5-digit ZIP Code
UPD_PLUS4	Chr	4		308	311	Updated ZIP+4 Code
UPD_CRRT	Chr	4		312	315	Updated Carrier Route
UPD_DPBC	Chr	14		316	329	Updated Delivery Point Barcode (DPBC)
UPD_DPC	Chr	3		330	332	Updated Delivery Point and Check Digit
UPD_DP	Chr	2		333	334	Updated Delivery Point
UPD_CHKDGT	Chr	1		335	335	Updated Delivery Point Check Digit
UPD_TYPE	Chr	1		336	336	Updated Address Type (key): G = General Delivery H = High Rise P = PO Box R = Rural Route S = Street
XCOA_FLAG	Chr	1		337	337	XCOA match code: X = XCOA match N = No forwarding address

XCOA - eXtended Change of Address

Field	Type	Width	Dec	Start	End	Description
XCOA_MOVE	Chr	1		338	338	XCOA match code: I = Individual move F = Family move B = Business/Organization move
XCOA_DATE	Chr	6		339	344	XCOA move effective date (YYYYMM)
XCOA_FTNT	Chr	8		345	352	XCOA footnotes (key; more than one may be present): A = Only one record has a pre-direction B = Records have a pre/post-direction conflict C = Records have different pre-directions D = Only one record has an address suffix E = Records have different addr
LACS_FLAG	Chr	1		353	353	LACS Match Flag (key): 1 = LACS match, new address provided 2 = No LACS match 3 = No LACS match - highrise default 4 = New address would not convert at run time 5 = Secondary number dropped from input address
DPV_FLAG	Chr	1		354	354	Y = Delivery Point is verified
DPV_INDEX	Chr	1		355	355	DPV Index Code (key): 1 = DPV match on all components 2 = DPV match on primary number but not secondary number 3 = Not matched
DPV_AA	Chr	1		356	356	Y = Matched to ZIP+4 file
DPV_A1	Chr	1		357	357	Y = Not matched to ZIP+4 file
DPV_BB	Chr	1		358	358	Y = DPV match on all components
DPV_CC	Chr	1		359	359	Y = DPV match on primary number but not secondary
DPV_M1	Chr	1		360	360	Y = Missing street number
DPV_M3	Chr	1		361	361	Y = No such primary number
DPV_N1	Chr	1		362	362	Y = Missing secondary address number on high rise match
DPV_P1	Chr	1		363	363	Y = Missing RR/HC box number
DPV_P3	Chr	1		364	364	Y = Invalid RR/HC/PO box number
DPV_RR	Chr	1		365	365	Y = PMB/CMRA match

XCOA - eXtended Change of Address

Field	Type	Width	Dec	Start	End	Description
DPV_R1	Chr	1		366	366	Y = PMB/CMRA, no secondary match

NOTICE: Layouts and content are subject to change--we are always working to improve our services.